



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

STE GENEVIEVE

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
017075

WELL TYPE
Private Well

DRILL DATE: 1958/03/11

TOWNSHIP RANGE SECTION

ELEVATION: 660FT

DRILL DEPTH: 550FT

0 0 LG10021

UTM X UTM Y

DEPTH TO BED: 60FT

758,595.40 4,201,743.97

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Albert Jokerst - 3 MI S OF STE. GENEVIEVE ON
HWY N

S.W.L. (AFTER CASING):

LOG ID:
018417

WELL TYPE
Private Well

DRILL DATE: 1959/07/20

TOWNSHIP RANGE SECTION

ELEVATION: 500FT

DRILL DEPTH: 230FT

0 0 LG10021

UTM X UTM Y

DEPTH TO BED: 30FT

759,250.42 4,203,734.00

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 25

LOG ID:
012430

WELL TYPE
Oil Well

DRILL DATE: 1953/07/

TOWNSHIP RANGE SECTION

ELEVATION: 383FT

DRILL DEPTH: 1,150FT

0 0 LG10021

UTM X UTM Y

DEPTH TO BED: 115FT

764,302.47 4,204,631.98

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 SWINK; DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
006194

WELL TYPE
Private Well

DRILL DATE: 1940/04/25

TOWNSHIP RANGE SECTION

ELEVATION: 463FT

DRILL DEPTH: 140FT

0 0 LG10021

UTM X UTM Y

DEPTH TO BED: 15FT

758,105.43 4,206,380.05

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: @ JCT HSYW 32 & 25, "NEW HOUSE" ON NW SD OF WYE

S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024111**WELL TYPE

Community Public Well

DRILL DATE: 1965/08/20TOWNSHIPRANGESECTIONELEVATION:

389FT

DRILL DEPTH: 88FT

0

0

LG10022

DEPTH TO BED:UTM XUTM Y

759,843.46

4,207,874.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PDORUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****013471**WELL TYPE

Community Public Well

DRILL DATE: 1955//TOWNSHIPRANGESECTIONELEVATION:

386FT

DRILL DEPTH: 80FT

0

0

LG10022

DEPTH TO BED:UTM XUTM Y

759,891.46

4,207,697.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Citizens Electric CorporationS.W.L. (AFTER CASING): 40**LOG ID:****012601**WELL TYPE

Community Public Well

DRILL DATE: 1953//TOWNSHIPRANGESECTIONELEVATION:

393FT

DRILL DEPTH: 656FT

0

0

LG10022

DEPTH TO BED: 90FTUTM XUTM Y

759,782.45

4,207,654.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ MAIN OFFICES.W.L. (AFTER CASING): 44**LOG ID:****006830**WELL TYPE

Community Public Well

DRILL DATE: 1941/04/30TOWNSHIPRANGESECTIONELEVATION:

384FT

DRILL DEPTH: 78FT

0

0

LG10022

DEPTH TO BED:UTM XUTM Y

759,800.45

4,207,811.06

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Missouri General Utilities Co - @ STE.
GENEVIEVE; ABANDONEDS.W.L. (AFTER CASING): 21



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004687**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1938/03/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	398FT
<u>DRILL DEPTH:</u>	890FT	0	0	LG10022	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				759,638.45	4,207,654.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ STE. GENEVIEVE			
<u>S.W.L. (AFTER CASING):</u>	30					

LOG ID:**008089**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1942/05/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	655FT
<u>DRILL DEPTH:</u>	133FT	0	0	LG1192	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				756,240.38	4,202,519.99
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	4 MI W OF STE. GENEVIEVE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**027524**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1973/06/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	560FT
<u>DRILL DEPTH:</u>	905FT	0	0	LG1308	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				754,396.40	4,207,876.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	FARM MANAGER RESIDENCE; WATER BLACKISH WITH SULFUR			
<u>S.W.L. (AFTER CASING):</u>	130		ODOR			

LOG ID:**025151**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/09/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	406FT
<u>DRILL DEPTH:</u>	850FT	0	0	LG146	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	230FT				758,242.46	4,210,147.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	CHARLES E. MEYERS, OWNER			
<u>S.W.L. (AFTER CASING):</u>	27					

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009580

WELL TYPE
Outcrop Description

<u>DRILL DATE:</u>	1947/08/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	477FT
<u>DRILL DEPTH:</u>	86FT	0	0	LG146	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	31FT				758,044.46	4,210,375.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	QUARRY @ LITTLE ROCK. DEPTHS FROM TOP OF BLUFF, BASE			
<u>S.W.L. (AFTER CASING):</u>			@ 391'			

LOG ID:
009584

WELL TYPE
Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1947/09/22	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	422FT
<u>DRILL DEPTH:</u>	304FT	0	0	LG146	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				758,449.45	4,209,672.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	1.25 IN. CORE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
023426

WELL TYPE
WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1965/04/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	380FT
<u>DRILL DEPTH:</u>	27FT	0	0	LG1862	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				768,524.42	4,196,503.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ E END OF CEDAR ST, 35' W OF RR TRACKS			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
023427

WELL TYPE
Community Public Well

<u>DRILL DATE:</u>	1965/04/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	380FT
<u>DRILL DEPTH:</u>	56FT	0	0	LG1862	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	56FT				768,667.42	4,196,696.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023590**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1965/06/22TOWNSHIP

0

RANGE

0

SECTION

LG1862

ELEVATION:

380FT

DRILL DEPTH: 57FTUTM XUTM Y

768,591.42

4,196,620.84

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****023591**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1965/07/14TOWNSHIP

0

RANGE

0

SECTION

LG1862

ELEVATION:

380FT

DRILL DEPTH: 53FTUTM XUTM Y

768,294.42

4,196,744.85

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019088**WELL TYPE

Private Well

DRILL DATE: 1960/06/16TOWNSHIP

0

RANGE

0

SECTION

LG1862

ELEVATION:

473FT

DRILL DEPTH: 365FTUTM XUTM Y

767,725.41

4,196,223.85

ZONE 15

DEPTH TO BED: 30FTS.W.L. (BEFORE CASING):REMARKS: IN W PART OF ST MARYSS.W.L. (AFTER CASING):**LOG ID:****002977**WELL TYPE

Community Public Well

DRILL DATE: 1934/08/TOWNSHIP

0

RANGE

0

SECTION

LG1862

ELEVATION:

388FT

DRILL DEPTH: 505FTUTM XUTM Y

768,083.42

4,196,625.85

ZONE 15

DEPTH TO BED: 45FTS.W.L. (BEFORE CASING): FTREMARKS: WATER HAS SULPHUR ODORS.W.L. (AFTER CASING): 1



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001591**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

404FT

DRILL DEPTH:

418FT

0

0

LG1862

DEPTH TO BED:

8FT

UTM XUTM Y

768,178.42

4,196,561.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

FORMATIONS NOT NAMED

S.W.L. (AFTER CASING):**LOG ID:****017335**WELL TYPE

Private Well

DRILL DATE:

1958/07/02

TOWNSHIPRANGESECTIONELEVATION:

735FT

DRILL DEPTH:

200FT

0

0

LG1876

DEPTH TO BED:

5FT

UTM XUTM Y

746,894.25

4,187,621.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

45

LOG ID:**012943**WELL TYPE

Private Well

DRILL DATE:

1954/07/03

TOWNSHIPRANGESECTIONELEVATION:

651FT

DRILL DEPTH:

50FT

0

0

LG1876

DEPTH TO BED:

10FT

UTM XUTM Y

747,505.26

4,187,522.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.5 MI N OF COFFMAN P.O.

S.W.L. (AFTER CASING):

15

LOG ID:**013001**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1954/08/11

TOWNSHIPRANGESECTIONELEVATION:

805FT

DRILL DEPTH:

235FT

0

0

LG1877

DEPTH TO BED:

15FT

UTM XUTM Y

746,973.25

4,185,382.57

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

135



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012941**WELL TYPE

Private Well

DRILL DATE: 1954/08/02TOWNSHIPRANGESECTIONELEVATION:

780FT

DRILL DEPTH: 130FT

0

0

LG1877

DEPTH TO BED: 15FTUTM XUTM Y

746,992.25

4,185,704.58

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of August L. Gegg - NEAR COFFMANS.W.L. (AFTER CASING): 80**LOG ID:****028911**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2002/09/00TOWNSHIPRANGESECTIONELEVATION:

700FT

DRILL DEPTH: 600FT

0

0

LG1878

DEPTH TO BED:UTM XUTM Y

747,797.25

4,183,819.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****026631**WELL TYPE

Community Public Well

DRILL DATE: 1970/04/09TOWNSHIPRANGESECTIONELEVATION:

577FT

DRILL DEPTH: 595FT

0

0

LG2046

DEPTH TO BED: 10FTUTM XUTM Y

744,695.28

4,203,916.08

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY O, ABT HALFWAY BETWEEN HWYS 32 & 61S.W.L. (AFTER CASING): 165**LOG ID:****026176**WELL TYPE

Community Public Well

DRILL DATE: 1968/06/28TOWNSHIPRANGESECTIONELEVATION:

502FT

DRILL DEPTH: 1,025FT

0

0

LG2046

DEPTH TO BED: 40FTUTM XUTM Y

746,954.31

4,206,738.14

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016083**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1957/04/29TOWNSHIP

0

RANGE

0

SECTION

LG2046

ELEVATION:

469FT

DRILL DEPTH: 160FTDEPTH TO BED: 20FTUTM X

746,133.31

UTM Y

4,208,516.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****021556**WELL TYPE

Private Well

DRILL DATE: 1963/01/18TOWNSHIP

0

RANGE

0

SECTION

LG2046

ELEVATION:

590FT

DRILL DEPTH: 500FTDEPTH TO BED: 10FTUTM X

747,569.32

UTM Y

4,206,520.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI S OF BLOOMSDALE; YIELDS - 1 GPM @ 205, 12 GPM @ 325'S.W.L. (AFTER CASING): 165**LOG ID:****019960**WELL TYPE

Private Well

DRILL DATE: 1961/05/23TOWNSHIP

0

RANGE

0

SECTION

LG2046

ELEVATION:

549FT

DRILL DEPTH: 205FTDEPTH TO BED: 8FTUTM X

746,644.31

UTM Y

4,207,580.16

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI S OF BLOOMSDALE, W SD HWY 61S.W.L. (AFTER CASING): 115**LOG ID:****011145**WELL TYPE

Private Well

DRILL DATE: 1947/09/TOWNSHIP

0

RANGE

0

SECTION

LG2046

ELEVATION:

551FT

DRILL DEPTH: 220FTDEPTH TO BED: 10FTUTM X

746,725.31

UTM Y

4,207,099.15

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of D.W. Oberle - about 3 miles S of Bloomsdale on Hwy 25S.W.L. (AFTER CASING): 144



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003670**WELL TYPE

Private Well

DRILL DATE: 1936/05/20TOWNSHIP

0

RANGE

0

SECTION

LG2046

ELEVATION:

583FT

DRILL DEPTH: 210FTDEPTH TO BED: 10FTUTM X

747,757.32

UTM Y

4,206,461.13

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 160**LOG ID:****003951**WELL TYPE

Private Well

DRILL DATE: 1936/11/04TOWNSHIP

0

RANGE

0

SECTION

LG2046

ELEVATION:

438FT

DRILL DEPTH: 104FTDEPTH TO BED: 15FTUTM X

745,936.31

UTM Y

4,208,833.20

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "COULDN'T BAIL DRY"S.W.L. (AFTER CASING): 50**LOG ID:****017488**WELL TYPE

Private Well

DRILL DATE: 1958/08/05TOWNSHIP

0

RANGE

0

SECTION

LG2058

ELEVATION:

391FT

DRILL DEPTH: 330FTDEPTH TO BED: 45FTUTM X

758,549.45

UTM Y

4,208,427.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of Molly RothS.W.L. (AFTER CASING):**LOG ID:****017770**WELL TYPE

Private Well

DRILL DATE: 1958/09/24TOWNSHIP

0

RANGE

0

SECTION

LG2062

ELEVATION:

624FT

DRILL DEPTH: 185FTDEPTH TO BED: 5FTUTM X

750,318.34

UTM Y

4,204,712.07

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 105



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010826**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1949/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	675FT
<u>DRILL DEPTH:</u>	159FT	0	0	LG2067	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				753,991.36	4,202,225.99
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	MOSTLY MISSING SAMPLES; 5 MI FROM STE. GENEVIEVE ON			
<u>S.W.L. (AFTER CASING):</u>			HWY B			

LOG ID:**011301**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	629FT
<u>DRILL DEPTH:</u>	155FT	0	0	LG2067	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	70FT				753,783.36	4,201,544.98
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of James Hughes - 0.5 MI W OF HWY 32 ON HWY B;			
<u>S.W.L. (AFTER CASING):</u>	47		CAVED TO 80'			

LOG ID:**018661**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/09/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	583FT
<u>DRILL DEPTH:</u>	345FT	0	0	LG2080	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				753,376.36	4,203,971.03
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Elenora Burgert - 2 miles W of Ste. Genevieve, 2.5			
<u>S.W.L. (AFTER CASING):</u>	250		miles S of Zell			

LOG ID:**016858**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/08/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	459FT
<u>DRILL DEPTH:</u>	270FT	0	0	LG2082	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				762,938.45	4,203,035.97
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	60					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018443**WELL TYPE

Private Well

DRILL DATE: 1959/05/09TOWNSHIPRANGESECTIONELEVATION:

552FT

DRILL DEPTH: 378FT

0

0

LG2082

DEPTH TO BED: 30FTUTM XUTM Y

760,806.42

4,202,147.97

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 144**LOG ID:****021387**WELL TYPE

Private Well

DRILL DATE: 1962/12/TOWNSHIPRANGESECTIONELEVATION:

428FT

DRILL DEPTH: 255FT

0

0

LG2082

DEPTH TO BED: 20FTUTM XUTM Y

762,458.45

4,203,649.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****017291**WELL TYPE

Private Well

DRILL DATE: 1958/06/09TOWNSHIPRANGESECTIONELEVATION:

534FT

DRILL DEPTH: 225FT

0

0

LG2088

DEPTH TO BED: 10FTUTM XUTM Y

744,091.30

4,210,564.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****012942**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954/07/15TOWNSHIPRANGESECTIONELEVATION:

428FT

DRILL DEPTH: 135FT

0

0

LG2088

DEPTH TO BED: 15FTUTM XUTM Y

744,747.31

4,210,478.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly called State Hwy Dept - @ BLOOMSDALE; YIELD - 8 GPM @
40'S.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016855**WELL TYPE

Private Well

DRILL DATE: 1957/11/02TOWNSHIPRANGESECTIONELEVATION:

509FT

DRILL DEPTH: 170FT

0

0

LG2088

DEPTH TO BED: 10FTUTM XUTM Y

744,552.31

4,211,086.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.75 MI NE OF BLOOMSDALES.W.L. (AFTER CASING): 90**LOG ID:****017801**WELL TYPE

Private Well

DRILL DATE: 1958/11/24TOWNSHIPRANGESECTIONELEVATION:

461FT

DRILL DEPTH: 140FT

0

0

LG2088

DEPTH TO BED: 8FTUTM XUTM Y

744,362.30

4,210,259.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: IN BLOOMSDALES.W.L. (AFTER CASING): 63**LOG ID:****018337**WELL TYPE

Private Well

DRILL DATE: 1959/05/26TOWNSHIPRANGESECTIONELEVATION:

528FT

DRILL DEPTH: 215FT

0

0

LG2088

DEPTH TO BED: 5FTUTM XUTM Y

744,051.31

4,211,360.28

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BLOOMSDALES.W.L. (AFTER CASING): 130**LOG ID:****020488**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/09/14TOWNSHIPRANGESECTIONELEVATION:

485FT

DRILL DEPTH: 125FT

0

0

LG2088

DEPTH TO BED: 5FTUTM XUTM Y

744,200.30

4,210,414.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**019567**WELL TYPE

Private Well

DRILL DATE: 1960/06/28TOWNSHIPRANGESECTIONELEVATION:

472FT

DRILL DEPTH: 110FT

0

0

LG2088

DEPTH TO BED: 15FTUTM XUTM Y

744,332.30

4,210,331.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ BLOOMSDALES.W.L. (AFTER CASING): 67**LOG ID:****009898**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

453FT

DRILL DEPTH: 100FT

0

0

LG2088

DEPTH TO BED: 10FTUTM XUTM Y

744,105.30

4,210,340.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 600' E OF CATHOLIC SCHOOL WELL, BLOOMSDALES.W.L. (AFTER CASING):**LOG ID:****010063**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

455FT

DRILL DEPTH: 87FT

0

0

LG2088

DEPTH TO BED: 15FTUTM XUTM Y

744,482.30

4,210,168.25

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ BLOOMSDALE, 600' N OF OLD HIGH SCHOOL ON STE.
GENEVIEVE RDS.W.L. (AFTER CASING): 58**LOG ID:****009899**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

495FT

DRILL DEPTH: 135FT

0

0

LG2088

DEPTH TO BED: 70FTUTM XUTM Y

744,406.30

4,210,640.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of L. Lewis - @ BLOOMSDALES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009575**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1946/09/20TOWNSHIPRANGESECTIONELEVATION:

453FT

DRILL DEPTH: 190FT

0

0

LG2088

DEPTH TO BED: 5FTUTM XUTM Y

743,900.29

4,210,295.26

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ BLOOMSDALES.W.L. (AFTER CASING): 54**LOG ID:****018252**WELL TYPE

Private Well

DRILL DATE: 1959/05/06TOWNSHIPRANGESECTIONELEVATION:

487FT

DRILL DEPTH: 110FT

0

0

LG2089

DEPTH TO BED: 20FTUTM XUTM Y

758,707.30

4,186,580.72

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI W OF MINNITHS.W.L. (AFTER CASING): 55**LOG ID:****018202**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1959/05/05TOWNSHIPRANGESECTIONELEVATION:

634FT

DRILL DEPTH: 205FT

0

0

LG2091

DEPTH TO BED: 10FTUTM XUTM Y

750,584.33

4,202,702.02

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI S OF ZELL ON HWY 32S.W.L. (AFTER CASING): 160**LOG ID:****006087**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1940/05/15TOWNSHIPRANGESECTIONELEVATION:

618FT

DRILL DEPTH: 160FT

0

0

LG2091

DEPTH TO BED:UTM XUTM Y

751,014.34

4,204,169.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BETWEEN CATHOLIC CHURCH & NEW CATHOLIC SCHOOLS.W.L. (AFTER CASING): 40

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007661

WELL TYPE
Private Well

DRILL DATE: 1942// TOWNSHIP 0 RANGE 0 SECTION LG2098 ELEVATION: 436FT
DRILL DEPTH: 185FT UTM X 760,194.38 UTM Y 4,197,745.91
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6 MI FROM STE. GENEVIEVE ON OZORA RD.
S.W.L. (AFTER CASING):

LOG ID:
020955

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 0 RANGE 0 SECTION LG3015 ELEVATION: 405FT
DRILL DEPTH: 1,200FT UTM X 764,050.36 UTM Y 4,191,365.83
DEPTH TO BED: 75FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 AUGIE BROWN; DRY & ABANDONED
S.W.L. (AFTER CASING):

LOG ID:
012894

WELL TYPE
Private Well

DRILL DATE: 1954// TOWNSHIP 0 RANGE 0 SECTION LG3036 ELEVATION:
DRILL DEPTH: 205FT UTM X 745,396.29 UTM Y 4,206,925.16
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 2 MI S OF BLOOMSDALE, 1 MI W OF HWY 61, IN ESTABLISHMENT
S.W.L. (AFTER CASING): CK BOTTOM

LOG ID:
011142

WELL TYPE
Private Well

DRILL DATE: 1947/11/ TOWNSHIP 0 RANGE 0 SECTION LG3036 ELEVATION: 397FT
DRILL DEPTH: 80FT UTM X 744,786.29 UTM Y 4,208,978.22
DEPTH TO BED: 28FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI S OF BLOOMSDALE HIGH SCHOOL
S.W.L. (AFTER CASING): 13



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020720

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 930FT
0 0 LG3063
DRILL DEPTH: 245FT UTM X UTM Y
DEPTH TO BED: 10FT 728,429.34 4,193,775.73
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
007448

WELL TYPE
Private Well

DRILL DATE: 1941/08/20 TOWNSHIP RANGE SECTION ELEVATION: 920FT
0 0 LG3063
DRILL DEPTH: 135FT UTM X UTM Y
DEPTH TO BED: 5FT 726,553.35 4,194,597.75
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ON OLD ST. LOUIS RD TO FARMINGTON RD
S.W.L. (AFTER CASING):

LOG ID:
005228

WELL TYPE
Private Well

DRILL DATE: 1938/09/ TOWNSHIP RANGE SECTION ELEVATION: 854FT
0 0 LG3063
DRILL DEPTH: 201FT UTM X UTM Y
DEPTH TO BED: 724,383.36 4,195,861.78
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Fred Steidel
S.W.L. (AFTER CASING):

LOG ID:
018254

WELL TYPE
Private Well

DRILL DATE: 1959/05/04 TOWNSHIP RANGE SECTION ELEVATION: 901FT
0 0 LG3096
DRILL DEPTH: 210FT UTM X UTM Y
DEPTH TO BED: 160FT 735,581.28 4,200,471.96
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL TO 163'; 5 MI W OF WEINGARTEN ON HWY C
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011302**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	435FT
<u>DRILL DEPTH:</u>	115FT	0	0	LG3164	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				753,918.33	4,195,691.86
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	18	<u>REMARKS:</u>	RIVER AUX VASES			

LOG ID:**017614**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1958/09/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	408FT
<u>DRILL DEPTH:</u>	1,230FT	0	0	LG3221	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	65FT				765,350.39	4,194,593.85
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 LUTKEWITTE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**012672**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	431FT
<u>DRILL DEPTH:</u>	290FT	0	0	LG3221	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				764,851.43	4,199,434.92
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Joe Bader - 5 MI S OF STE. GENEVIEVE; YIELD -			
<u>S.W.L. (AFTER CASING):</u>	75		5 GPM @ 220'			

LOG ID:**011943**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1952/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	488FT
<u>DRILL DEPTH:</u>	1,315FT	0	0	LG3221	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	55FT				767,209.42	4,197,019.86
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	OIL & GAS TEST			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012999**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/08/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	512FT
<u>DRILL DEPTH:</u>	825FT	0	0	LG3249	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				755,245.39	4,204,922.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	0.5 MI W OF MISSISSIPPI LIME CO QUARRY			
<u>S.W.L. (AFTER CASING):</u>	40					

LOG ID:**003885**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1936/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	450FT
<u>DRILL DEPTH:</u>	1,200FT	0	0	LG3249	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				756,802.41	4,206,305.06
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2 COPIES OF SAME LOG; JUST SOUTH OF MACY			
<u>S.W.L. (AFTER CASING):</u>	2					

LOG ID:**020583**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	596FT
<u>DRILL DEPTH:</u>	900FT	0	0	LG3250	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				755,797.38	4,203,321.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	RR, STE. GENEVIEVE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**002975**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1934/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	633FT
<u>DRILL DEPTH:</u>	440FT	0	0	LG3250	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				756,858.40	4,204,298.02
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	W OF STE. GENEVIEVE			
<u>S.W.L. (AFTER CASING):</u>	90					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006085**WELL TYPE

Private Well

DRILL DATE: 1940/04/10TOWNSHIPRANGESECTIONELEVATION:

438FT

DRILL DEPTH: 65FT

0

0

LG3253

DEPTH TO BED: 45FTUTM XUTM Y

759,177.44

4,206,449.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ON HWY 32 ABT 0.25 MI SE OF HWY 25 @ STE. GENEVIEVES.W.L. (AFTER CASING): 8**LOG ID:****009583**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1947/08/27TOWNSHIPRANGESECTIONELEVATION:

398FT

DRILL DEPTH: 305FT

0

0

LG3255

DEPTH TO BED: 7FTUTM XUTM Y

757,897.46

4,210,531.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****025770**WELL TYPE

Private Well

DRILL DATE: 1968/08/TOWNSHIPRANGESECTIONELEVATION:

446FT

DRILL DEPTH: 1,188FT

0

0

LG397

DEPTH TO BED: 1,125FTUTM XUTM Y

763,798.45

4,201,829.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 4 SAMPLES LOGGEDS.W.L. (AFTER CASING):**LOG ID:****012665**WELL TYPE

Private Well

DRILL DATE: 1954/03/05TOWNSHIPRANGESECTIONELEVATION:

542FT

DRILL DEPTH: 470FT

0

0

LG397

DEPTH TO BED: 20FTUTM XUTM Y

762,545.42

4,200,462.94

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 165



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023461**WELL TYPE

Community Public Well

DRILL DATE: 1965/04/30TOWNSHIPRANGESECTIONELEVATION:

683FT

DRILL DEPTH: 615FT

0

0

LG884

DEPTH TO BED: 5FTUTM XUTM Y

743,919.27

4,201,884.02

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ART COLLINS, OWNERS.W.L. (AFTER CASING): 200**LOG ID:****023460**WELL TYPE

Community Public Well

DRILL DATE: 1964/11/26TOWNSHIPRANGESECTIONELEVATION:

632FT

DRILL DEPTH: 461FT

0

0

LG884

DEPTH TO BED: 20FTUTM XUTM Y

744,162.27

4,202,159.03

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: WANDA L. COLLINSS.W.L. (AFTER CASING): 225**LOG ID:****028029**WELL TYPE

Community Public Well

DRILL DATE: 1975/09/03TOWNSHIPRANGESECTIONELEVATION:

846FT

DRILL DEPTH: 375FT

0

0

LG884

DEPTH TO BED: 35FTUTM XUTM Y

740,206.26

4,202,582.05

ZONE 15

S.W.L. (BEFORE CASING): 200 FTREMARKS:S.W.L. (AFTER CASING): 275 FT**LOG ID:****004797**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1938/05/TOWNSHIPRANGESECTIONELEVATION:

824FT

DRILL DEPTH: 235FT

35N

7E

11

DEPTH TO BED:UTM XUTM Y

743,744.23

4,181,541.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: formerly in name of William E. Marshall - 0.75 MI W OF AVON; "NO
LEAD FOUND"S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028273

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1979/08/06

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 650FT

35N

7E

13

DEPTH TO BED:

UTM X

UTM Y

745,476.25

4,180,545.44

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
009993

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 1,017FT

DRILL DEPTH: 360FT

35N

7E

14

DEPTH TO BED: 20FT

UTM X

UTM Y

744,173.24

4,180,229.41

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
010040

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/08/31

TOWNSHIP RANGE SECTION

ELEVATION: 959FT

DRILL DEPTH: 270FT

35N

7E

14

DEPTH TO BED: 5FT

UTM X

UTM Y

744,228.24

4,180,490.42

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
010041

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 946FT

DRILL DEPTH: 228FT

35N

7E

14

DEPTH TO BED:

UTM X

UTM Y

743,646.24

4,180,296.41

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "LOST HOLE"

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010042

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/10/15 TOWNSHIP 35N RANGE 7E SECTION 14 ELEVATION: 1,009FT
DRILL DEPTH: 335FT UTM X 743,482.24 UTM Y 4,180,074.40
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
010043

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 35N RANGE 7E SECTION 14 ELEVATION: 1,003FT
DRILL DEPTH: 265FT UTM X 744,225.24 UTM Y 4,180,308.42
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
010044

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/08/04 TOWNSHIP 35N RANGE 7E SECTION 14 ELEVATION: 972FT
DRILL DEPTH: 240FT UTM X 744,165.24 UTM Y 4,180,550.42
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
010045

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1945/07/16 TOWNSHIP 35N RANGE 7E SECTION 15 ELEVATION: 980FT
DRILL DEPTH: 275FT UTM X 742,980.24 UTM Y 4,179,807.39
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011935**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1952/07/TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 356FT

35N

7E

16

DEPTH TO BED: 10FTUTM XUTM Y

741,701.24

4,180,778.39

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020725**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

719FT

DRILL DEPTH: 660FT

35N

7E

24

DEPTH TO BED: 10FTUTM XUTM Y

745,877.27

4,178,241.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: MINERAL TESTS.W.L. (AFTER CASING):**LOG ID:****010566**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

789FT

DRILL DEPTH: 459FT

35N

7E

25

DEPTH TO BED: 84FTUTM XUTM Y

745,804.28

4,177,684.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE SAMPLESS.W.L. (AFTER CASING):**LOG ID:****011915**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1952//TOWNSHIPRANGESECTIONELEVATION:

949FT

DRILL DEPTH: 331FT

35N

7E

7

DEPTH TO BED:UTM XUTM Y

737,986.27

4,181,573.40

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010576**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1948/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	553FT
<u>DRILL DEPTH:</u>	532FT	35N	8E	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				751,680.25	4,182,473.55
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	CHESTER CLARK TRACT			

LOG ID:**010577**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1948/09/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	631FT
<u>DRILL DEPTH:</u>	351FT	35N	8E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				749,386.26	4,180,792.49
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	CHARLES H. BIRI TRACT			

LOG ID:**010565**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	777FT
<u>DRILL DEPTH:</u>	464FT	35N	8E	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	14FT				747,992.25	4,181,052.48
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				

LOG ID:**015579**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1956/11/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	574FT
<u>DRILL DEPTH:</u>	210FT	35N	8E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				752,360.26	4,183,641.59
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35	<u>REMARKS:</u>	4.5 MI E OF COFFMAN @ CLEARWATER SCHOOL & STORE			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010316

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1948/08/16

TOWNSHIP RANGE SECTION

ELEVATION: 725FT

DRILL DEPTH: 489FT

35N 8E 4

DEPTH TO BED: 5FT

UTM X UTM Y
750,233.25 4,183,814.57
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DANIELY; 4 MI FROM COFFMAN

S.W.L. (AFTER CASING):

LOG ID:
010317

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1948/07/17

TOWNSHIP RANGE SECTION

ELEVATION: 701FT

DRILL DEPTH: 530FT

35N 8E 4

DEPTH TO BED: 5FT

UTM X UTM Y
750,645.26 4,184,234.58
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: JAMES HERZOCG TRACT; 4 MI FROM COFFMAN

S.W.L. (AFTER CASING):

LOG ID:
010563

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1948/10/14

TOWNSHIP RANGE SECTION

ELEVATION: 723FT

DRILL DEPTH: 270FT

35N 8E 5

DEPTH TO BED: 5FT

UTM X UTM Y
748,510.25 4,183,398.54
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: CHARLIE COFFMAN TRACT

S.W.L. (AFTER CASING):

LOG ID:
010574

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1948/10/06

TOWNSHIP RANGE SECTION

ELEVATION: 759FT

DRILL DEPTH: 290FT

35N 8E 7

DEPTH TO BED:

UTM X UTM Y
747,991.24 4,181,537.48
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: KELLY BOLAND TRACT

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010575

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1948/08/ TOWNSHIP 35N RANGE 8E SECTION 9 ELEVATION: 616FT
DRILL DEPTH: 385FT UTM X 750,371.25 UTM Y 4,181,648.52
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: FRANK GOVRO TRACT
S.W.L. (AFTER CASING):

LOG ID:
027431

WELL TYPE
Private Well

DRILL DATE: 1970/11/03 TOWNSHIP 36N RANGE 6E SECTION 2 ELEVATION: 1,045FT
DRILL DEPTH: 270FT UTM X 734,851.29 UTM Y 4,194,032.76
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 6 MI E OF FARMINGTON ON HWY EE @ SPROT; YIELD - 12 GPM @
S.W.L. (AFTER CASING): 205 205'

LOG ID:
007087

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP 36N RANGE 6E SECTION 22 ELEVATION: 958FT
DRILL DEPTH: 120FT UTM X 732,816.32 UTM Y 4,187,555.57
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: PRODUCTION = "100 GAL."
S.W.L. (AFTER CASING): 55

LOG ID:
005531

WELL TYPE
Private Well

DRILL DATE: 1939/06/26 TOWNSHIP 36N RANGE 6E SECTION 4 ELEVATION: 927FT
DRILL DEPTH: 145FT UTM X 731,216.32 UTM Y 4,192,645.71
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of Joseph Schneider
S.W.L. (AFTER CASING): 75

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006536

WELL TYPE
Private Well

DRILL DATE: 1940// TOWNSHIP 36N RANGE 6E SECTION 9 ELEVATION: 963FT
DRILL DEPTH: 205FT UTM X 731,073.33 UTM Y 4,191,732.68
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Leeman Murphy
S.W.L. (AFTER CASING):

LOG ID:
025543

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1968/04/ TOWNSHIP 36N RANGE 7E SECTION 14 ELEVATION: 597FT
DRILL DEPTH: 125FT UTM X 743,791.24 UTM Y 4,190,547.69
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO ELEVATION
S.W.L. (AFTER CASING):

LOG ID:
025558

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1968/04/01 TOWNSHIP 36N RANGE 7E SECTION 27 ELEVATION: 758FT
DRILL DEPTH: 103FT UTM X 741,867.23 UTM Y 4,186,323.55
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DRY & ABANDONED, PLUGGED W/ CEMENT
S.W.L. (AFTER CASING):

LOG ID:
016256

WELL TYPE
Private Well

DRILL DATE: 1957/05/27 TOWNSHIP 36N RANGE 7E SECTION 35 ELEVATION: 849FT
DRILL DEPTH: 205FT UTM X 744,155.24 UTM Y 4,185,857.56
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 128



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015384**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1956/09/10TOWNSHIPRANGESECTIONELEVATION:

835FT

DRILL DEPTH: 250FT

36N

7E

36

DEPTH TO BED: 5FTUTM XUTM Y

745,650.24

4,184,882.54

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W OF OLD SCHOOLS.W.L. (AFTER CASING): 70**LOG ID:****016857**WELL TYPE

Private Well

DRILL DATE: 1957/08/06TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 125FT

36N

7E

9

DEPTH TO BED: 70FTUTM XUTM Y

741,378.24

4,191,327.70

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of E.E. McDanielS.W.L. (AFTER CASING): 70**LOG ID:****018851**WELL TYPE

Private Well

DRILL DATE: 1959/11/20TOWNSHIPRANGESECTIONELEVATION:

595FT

DRILL DEPTH: 545FT

36N

8E

1

DEPTH TO BED: 10FTUTM XUTM Y

755,716.32

4,193,100.82

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI NW OF OZORAS.W.L. (AFTER CASING): 200**LOG ID:****007655**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1942/02/19TOWNSHIPRANGESECTIONELEVATION:

748FT

DRILL DEPTH: 266FT

36N

8E

21

DEPTH TO BED: 15FTUTM XUTM Y

749,608.27

4,187,784.66

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: WELL #1, MISS ADELAIDE KALKMANS.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028962**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2003/04/ TOWNSHIP 36N RANGE 8E SECTION 24 ELEVATION: 740FT
DRILL DEPTH: 540FT UTM X 755,779.30 UTM Y 4,189,178.74
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: winery
S.W.L. (AFTER CASING):

LOG ID:**015463**WELL TYPE

Private Well

DRILL DATE: 1956// TOWNSHIP 36N RANGE 8E SECTION 29 ELEVATION: 702FT
DRILL DEPTH: 218FT UTM X 748,264.25 UTM Y 4,186,440.61
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 12 MI E OF HWYS 61 & 67
S.W.L. (AFTER CASING): 60

LOG ID:**018871**WELL TYPE

Private Well

DRILL DATE: 1959/11/02 TOWNSHIP 36N RANGE 8E SECTION 32 ELEVATION: 673FT
DRILL DEPTH: 155FT UTM X 749,377.26 UTM Y 4,185,352.60
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1.5 MI E OF COFFMAN
S.W.L. (AFTER CASING): 72

LOG ID:**010508**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP 36N RANGE 8E SECTION 34 ELEVATION: 526FT
DRILL DEPTH: 431FT UTM X 751,404.26 UTM Y 4,185,483.62
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: DVAIS MAY BE RESIDUAL
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010534**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

524FT

DRILL DEPTH:

431FT

36N

8E

34

UTM XUTM YDEPTH TO BED:

751,816.27

4,185,452.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DAVIS MAY BE RESIDUALS.W.L. (AFTER CASING):**LOG ID:****010595**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH:

645FT

36N

8E

34

UTM XUTM YDEPTH TO BED:

5FT

752,220.27

4,185,111.62

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: HENRY HERZOG TRACTS.W.L. (AFTER CASING):**LOG ID:****017744**WELL TYPE

Private Well

DRILL DATE:

1958/09/25

TOWNSHIPRANGESECTIONELEVATION:

521FT

DRILL DEPTH:

120FT

36N

8E

7

UTM XUTM YDEPTH TO BED:

746,776.26

4,191,894.75

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

40

LOG ID:**012813**WELL TYPE

Outcrop Description

DRILL DATE:

1954/07/

TOWNSHIPRANGESECTIONELEVATION:

450FT

DRILL DEPTH:

110FT

36N

9E

29

UTM XUTM YDEPTH TO BED:

758,596.30

4,187,052.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027218**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1969/11/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	478FT
<u>DRILL DEPTH:</u>	860FT	36N	9E	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				760,907.36	4,194,390.86
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	JCT HWYS J & N S OF OZORA; FOR CEMENT PLANT			
<u>S.W.L. (AFTER CASING):</u>	101					

LOG ID:**006478**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1940/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	447FT
<u>DRILL DEPTH:</u>	200FT	36N	9E	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				759,005.35	4,193,459.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	@ BOILER HOUSE			
<u>S.W.L. (AFTER CASING):</u>	20					

LOG ID:**004883**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1938//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	540FT
<u>DRILL DEPTH:</u>	70FT	36N	9E	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				756,863.33	4,192,914.82
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Naish Cryler - on Little Saline Creek, about 3 miles from Staabtown toward Ozora Quarry			
<u>S.W.L. (AFTER CASING):</u>	12					

LOG ID:**018670**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1959/08/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	680FT
<u>DRILL DEPTH:</u>	275FT	36N	9E	9	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				759,408.34	4,191,780.81
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	2.5 MI W OF OZORA			
<u>S.W.L. (AFTER CASING):</u>	245					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018647**WELL TYPE

Private Well

DRILL DATE: 1959/08/28TOWNSHIPRANGESECTIONELEVATION:

654FT

DRILL DEPTH: 380FT

36N

9E

9

DEPTH TO BED: 5FTUTM XUTM Y

759,347.34

4,191,891.81

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 285**LOG ID:****027748**WELL TYPE

Community Public Well

DRILL DATE: 1974/06/19TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH: 400FT

37N

6E

14

DEPTH TO BED: 7FTUTM XUTM Y

734,344.29

4,199,642.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****017746**WELL TYPE

Private Well

DRILL DATE: 1958/09/27TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH: 184FT

37N

6E

16

DEPTH TO BED:UTM XUTM Y

730,691.31

4,199,455.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****005472**WELL TYPE

Private Well

DRILL DATE: 1939/06/16TOWNSHIPRANGESECTIONELEVATION:

864FT

DRILL DEPTH: 100FT

37N

6E

20

DEPTH TO BED: 10FTUTM XUTM Y

729,114.33

4,197,849.85

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021119**WELL TYPE

Private Well

DRILL DATE: 1962/04/04TOWNSHIP RANGE SECTIONELEVATION: 1,027FTDRILL DEPTH: 118FT

37N 6E 23

DEPTH TO BED: 20FTUTM X UTM Y
733,818.30 4,197,434.86
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****006117**WELL TYPE

Private Well

DRILL DATE: 1940/05/13TOWNSHIP RANGE SECTIONELEVATION: 999FTDRILL DEPTH: 205FT

37N 6E 26

DEPTH TO BED: 20FTUTM X UTM Y
734,390.29 4,197,201.86
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Marvin ReederS.W.L. (AFTER CASING): 165**LOG ID:****016259**WELL TYPE

Private Well

DRILL DATE: 1957/05/22TOWNSHIP RANGE SECTIONELEVATION: 893FTDRILL DEPTH: 182FT

37N 6E 29

DEPTH TO BED: 5FTUTM X UTM Y
729,330.33 4,195,785.79
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 4 MI NE OF FARMINGTONS.W.L. (AFTER CASING): 90**LOG ID:****017074**WELL TYPE

Private Well

DRILL DATE: 1958/02/21TOWNSHIP RANGE SECTIONELEVATION: 912FTDRILL DEPTH: 224FT

37N 6E 29

DEPTH TO BED: 25FTUTM X UTM Y
729,075.33 4,196,353.81
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Edna Warren - 8 MI NE OF FARMINGTON, 1.5 MI
E OF OLD ST LOUIS RDS.W.L. (AFTER CASING): 160



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016121**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/05/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	810FT
<u>DRILL DEPTH:</u>	246FT	37N	7E	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				745,136.27	4,197,737.90
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	400 YDS SE OF WEINGARTEN			
<u>S.W.L. (AFTER CASING):</u>	180					

LOG ID:**028387**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1980/08/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	863FT
<u>DRILL DEPTH:</u>	985FT	37N	7E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				744,907.26	4,196,325.86
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	Well #4			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**008081**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1943/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	823FT
<u>DRILL DEPTH:</u>	525FT	37N	7E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				745,224.27	4,196,955.88
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ENEMY ALIEN INTERNMENT CAMP; #5			
<u>S.W.L. (AFTER CASING):</u>	280					

LOG ID:**008026**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1942/10/06	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	868FT
<u>DRILL DEPTH:</u>	1,000FT	37N	7E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	27FT				744,923.26	4,196,520.87
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	enemy alien internment camp #1			
<u>S.W.L. (AFTER CASING):</u>	312					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008082**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1943/01/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	836FT
<u>DRILL DEPTH:</u>	530FT	37N	7E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				744,927.26	4,196,908.88
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	292	<u>REMARKS:</u>	ENEMY ALIEN INTERNMENT CAMP #3			

LOG ID:**008049**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1942/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	858FT
<u>DRILL DEPTH:</u>	985FT	37N	7E	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	67FT				744,919.26	4,196,773.88
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	300	<u>REMARKS:</u>	Enemy Alien Internment Camp #2			

LOG ID:**021359**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1962/11/08	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	846FT
<u>DRILL DEPTH:</u>	220FT	37N	7E	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	170FT				740,772.25	4,196,898.87
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	90	<u>REMARKS:</u>				

LOG ID:**010505**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1948/11/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	757FT
<u>DRILL DEPTH:</u>	150FT	37N	7E	28	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				740,728.25	4,196,047.85
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	50	<u>REMARKS:</u>	2 MI FROM HWY 32 ON HWY C			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012790**WELL TYPE

Outcrop Description

DRILL DATE: 1954/07/ TOWNSHIP 37N RANGE 7E SECTION 31 ELEVATION: 991FT
DRILL DEPTH: 340FT UTM X 737,992.27 UTM Y 4,194,537.79
DEPTH TO BED: 50FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:**022648**WELL TYPE

Private Well

DRILL DATE: 1964/01/31 TOWNSHIP 37N RANGE 7E SECTION 31 ELEVATION: 1,016FT
DRILL DEPTH: 300FT UTM X 737,977.27 UTM Y 4,194,682.80
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ SPROTT, 10.5 MI E OF FARMINGTON ON HWY EE
S.W.L. (AFTER CASING):

LOG ID:**016352**WELL TYPE

Private Well

DRILL DATE: 1957/07/03 TOWNSHIP 37N RANGE 7E SECTION 33 ELEVATION: 862FT
DRILL DEPTH: 220FT UTM X 740,544.25 UTM Y 4,194,532.80
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 157

LOG ID:**018875**WELL TYPE

Private Well

DRILL DATE: 1959/07/25 TOWNSHIP 37N RANGE 7E SECTION 35 ELEVATION: 803FT
DRILL DEPTH: 277FT UTM X 743,145.25 UTM Y 4,195,282.83
DEPTH TO BED: 35FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 2 MI W OF WEINGARTEN ON HWY 32
S.W.L. (AFTER CASING): 130

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016119

WELL TYPE
Private Well

DRILL DATE: 1957/05/08

TOWNSHIP RANGE SECTION

ELEVATION: 748FT

DRILL DEPTH: 205FT

37N 8E 18

DEPTH TO BED: 10FT

UTM X UTM Y
746,527.28 4,199,440.95
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
017885

WELL TYPE
Private Well

DRILL DATE: 1958/11/20

TOWNSHIP RANGE SECTION

ELEVATION: 755FT

DRILL DEPTH: 330FT

37N 8E 18

DEPTH TO BED: 5FT

UTM X UTM Y
746,295.28 4,199,276.95
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: IN CENTER OF NEW OFFENBURG

S.W.L. (AFTER CASING): 115

LOG ID:
001871

WELL TYPE
Oil Well

DRILL DATE: 1907/01/00

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 1,600FT

37N 8E 19

DEPTH TO BED:

UTM X UTM Y
746,687.28 4,198,252.92
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SALT WATER, FLOWS FEEBLY, NO FORMATIONS IDENTIFIED

S.W.L. (AFTER CASING):

LOG ID:
017751

WELL TYPE
Private Well

DRILL DATE: 1958/11/21

TOWNSHIP RANGE SECTION

ELEVATION: 562FT

DRILL DEPTH: 85FT

37N 8E 20

DEPTH TO BED: 5FT

UTM X UTM Y
748,296.29 4,198,111.91
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 25



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023049**WELL TYPE

Private Well

DRILL DATE: 1964/07/15TOWNSHIPRANGESECTIONELEVATION:

624FT

DRILL DEPTH: 359FT

37N

8E

29

DEPTH TO BED: 5FTUTM XUTM Y

748,400.29

4,196,223.87

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008357**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1943/09/TOWNSHIPRANGESECTIONELEVATION:

779FT

DRILL DEPTH: 975FT

37N

8E

30

DEPTH TO BED: 28FTUTM XUTM Y

747,249.28

4,196,838.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: ENEMY ALIEN INTERNMENT CAMP #6S.W.L. (AFTER CASING): 237**LOG ID:****016250**WELL TYPE

Private Well

DRILL DATE: 1957/05/13TOWNSHIPRANGESECTIONELEVATION:

728FT

DRILL DEPTH: 240FT

37N

8E

7

DEPTH TO BED: 5FTUTM XUTM Y

746,720.29

4,201,620.01

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 162**LOG ID:****018879**WELL TYPE

Private Well

DRILL DATE: 1959/10/24TOWNSHIPRANGESECTIONELEVATION:

710FT

DRILL DEPTH: 420FT

37N

8E

9

DEPTH TO BED: 45FTUTM XUTM Y

749,604.32

4,201,745.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 7 MI W OF STE. GENEVIEVE ON HWY 32S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
018856

WELL TYPE
Private Well

DRILL DATE: 1959/11/23

TOWNSHIP RANGE SECTION

ELEVATION: 672FT

DRILL DEPTH: 420FT

37N 9E 17

DEPTH TO BED:

UTM X UTM Y
758,895.39 4,199,696.94
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 2 MI NE OF OZORA

S.W.L. (AFTER CASING):

LOG ID:
025829

WELL TYPE
Private Well

DRILL DATE: 1968/10/

TOWNSHIP RANGE SECTION

ELEVATION: 514FT

DRILL DEPTH: 236FT

37N 9E 23

DEPTH TO BED: 10FT

UTM X UTM Y
763,564.42 4,199,207.93
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N OF ST MARYS TO SALINE CREEK, LEFT ON COUNTY RD 0.5 MI

S.W.L. (AFTER CASING):

LOG ID:
026437

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 537FT

DRILL DEPTH: 1,433FT

37N 9E 23

DEPTH TO BED: 775FT

UTM X UTM Y
763,635.42 4,199,209.93
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: VERY IMCOMPLETE LOG

S.W.L. (AFTER CASING):

LOG ID:
013171

WELL TYPE
Private Well

DRILL DATE: 1954/09/

TOWNSHIP RANGE SECTION

ELEVATION: 556FT

DRILL DEPTH: 415FT

37N 9E 28

DEPTH TO BED: 10FT

UTM X UTM Y
760,286.37 4,196,347.89
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 6 MI SW OF STE. GENEVIEVE; YIELDS - 1.5 GPM @ 100', 3.5 GPM @ 415'

S.W.L. (AFTER CASING): 75



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021503

WELL TYPE
Private Well

DRILL DATE: 1963// TOWNSHIP 37N RANGE 9E SECTION 28 ELEVATION: 549FT
DRILL DEPTH: 1,015FT UTM X 760,412.37 UTM Y 4,196,164.88
DEPTH TO BED: 770FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: POTABLE WATER IN ST. PETER
S.W.L. (AFTER CASING):

LOG ID:
027244

WELL TYPE
Private Well

DRILL DATE: 1969/12/05 TOWNSHIP 37N RANGE 9E SECTION 34 ELEVATION: 503FT
DRILL DEPTH: 483FT UTM X 761,421.37 UTM Y 4,195,071.87
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI NE OF OZORA ON HWY N, TURN RT ON LANE 1/3RD MI;
S.W.L. (AFTER CASING): 107 10-FT SAMPLES

LOG ID:
027803

WELL TYPE
Noncommunity Public Well

DRILL DATE: TOWNSHIP 37N RANGE 9E SECTION 34 ELEVATION: 580FT
DRILL DEPTH: 1,080FT UTM X 760,804.37 UTM Y 4,195,850.88
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: JCT I-55 & HWYS J & N; NO PRODUCTION OF CONSTRUCTION
S.W.L. (AFTER CASING): DATA

LOG ID:
024696

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1957/10/29 TOWNSHIP 37N RANGE 9E SECTION 34 ELEVATION: 499FT
DRILL DEPTH: 595FT UTM X 761,184.37 UTM Y 4,194,970.87
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: old well to 275 ft, deepened 6/57 to 475 ft, further deepened 6/67 (see
S.W.L. (AFTER CASING): log #25696)



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016860**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1957/10/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	553FT
<u>DRILL DEPTH:</u>	595FT	37N	9E	34	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	275FT				761,053.37	4,194,998.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	old well to 275 ft, deepened 6/57 to 475 ft, further deepened 6/67 (see log #25696)			
<u>S.W.L. (AFTER CASING):</u>	142					

LOG ID:**016997**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/12/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	423FT
<u>DRILL DEPTH:</u>	375FT	37N	9E	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				762,382.38	4,194,761.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	19					

LOG ID:**016988**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958/02/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	684FT
<u>DRILL DEPTH:</u>	410FT	37N	9E	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	25FT				755,601.38	4,203,254.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of Robert Billydue - 2 MI W OF STE. GENEVIEVE			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**016991**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/11/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	689FT
<u>DRILL DEPTH:</u>	730FT	37N	9E	6	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				755,621.38	4,203,206.01
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	MANY MISSING SAMPLES			
<u>S.W.L. (AFTER CASING):</u>	260					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025570**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

702FT

DRILL DEPTH:

38N

6E

1

DEPTH TO BED:UTM XUTM Y

735,775.31

4,213,145.32

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

NO SAMPLES LOGGED

S.W.L. (AFTER CASING):

70

LOG ID:**016864**WELL TYPE

Private Well

DRILL DATE:

1957/07/22

TOWNSHIPRANGESECTIONELEVATION:

754FT

DRILL DEPTH:

410FT

38N

6E

1

DEPTH TO BED:

20FT

UTM XUTM Y

736,475.32

4,213,808.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

4 MI W OF HWY 61 ON HWY K

S.W.L. (AFTER CASING):

190

LOG ID:**017750**WELL TYPE

Private Well

DRILL DATE:

1958/09/19

TOWNSHIPRANGESECTIONELEVATION:

753FT

DRILL DEPTH:

175FT

38N

6E

1

DEPTH TO BED:

30FT

UTM XUTM Y

734,952.31

4,212,769.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

115

LOG ID:**021403**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

629FT

DRILL DEPTH:

167FT

38N

6E

1

DEPTH TO BED:

10FT

UTM XUTM Y

735,611.32

4,213,808.34

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025992**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 530FT

38N

6E

12

DEPTH TO BED: 65FTUTM XUTM Y

735,007.29

4,210,677.25

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:MAY BE IN STE. GENEVIEVE COUNTY - if it's Sec. 4, location
elevation is 900+ or log about 780 - if it's Sec. 12, loc elev 865+ or logS.W.L. (AFTER CASING):**LOG ID:****018261**WELL TYPE

Private Well

DRILL DATE: 1959/05/12TOWNSHIPRANGESECTIONELEVATION:

802FT

DRILL DEPTH: 190FT

38N

6E

12

DEPTH TO BED: 30FTUTM XUTM Y

735,154.30

4,211,263.27

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:

5 MI ON HWY K, 1 MI E

S.W.L. (AFTER CASING): 145**LOG ID:****018251**WELL TYPE

Private Well

DRILL DATE: 1958/11/15TOWNSHIPRANGESECTIONELEVATION:

776FT

DRILL DEPTH: 260FT

38N

6E

12

DEPTH TO BED:UTM XUTM Y

735,823.30

4,211,322.28

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:SAMPLES @ 20-FT INTERVALS, TD PROBABLY INCORRECT (235'
?)S.W.L. (AFTER CASING):**LOG ID:****016844**WELL TYPE

Private Well

DRILL DATE: 1957/07/01TOWNSHIPRANGESECTIONELEVATION:

759FT

DRILL DEPTH: 175FT

38N

6E

13

DEPTH TO BED: 15FTUTM XUTM Y

735,412.28

4,210,092.24

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 130



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009900**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

798FT

DRILL DEPTH:

298FT

38N

6E

13

UTM XUTM YDEPTH TO BED:

20FT

736,240.27

4,209,380.23

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI W, A LITTLE S OF BLOOMSDALES.W.L. (AFTER CASING):**LOG ID:****016354**WELL TYPE

Private Well

DRILL DATE:

1957/07/16

TOWNSHIPRANGESECTIONELEVATION:

857FT

DRILL DEPTH:

345FT

38N

6E

2

UTM XUTM YDEPTH TO BED:

47FT

733,522.32

4,212,762.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.25 MI E OF END OF HWY K ON S SDS.W.L. (AFTER CASING):

246

LOG ID:**016848**WELL TYPE

Private Well

DRILL DATE:

1957/11/25

TOWNSHIPRANGESECTIONELEVATION:

857FT

DRILL DEPTH:

315FT

38N

6E

2

UTM XUTM YDEPTH TO BED:

60FT

733,819.32

4,212,837.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

200

LOG ID:**016866**WELL TYPE

Private Well

DRILL DATE:

1957/07/30

TOWNSHIPRANGESECTIONELEVATION:

761FT

DRILL DEPTH:

245FT

38N

6E

2

UTM XUTM YDEPTH TO BED:

20FT

734,591.31

4,212,322.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

115



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018658**WELL TYPE

Private Well

DRILL DATE: 1959/10/14TOWNSHIP RANGE SECTIONELEVATION: 812FTDRILL DEPTH: 285FT

38N 6E 2

DEPTH TO BED: 20FTUTM X UTM Y
734,156.31 4,212,603.30
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: SAMPLES MAY BE MIXEDS.W.L. (AFTER CASING): 140**LOG ID:****006417**WELL TYPE

Private Well

DRILL DATE: 1940//TOWNSHIP RANGE SECTIONELEVATION: 793FTDRILL DEPTH: 110FT

38N 6E 2

DEPTH TO BED: 20FTUTM X UTM Y
734,787.31 4,212,786.31
ZONE 15S.W.L. (BEFORE CASING):REMARKS: formerly in name of W.A. Denoir - "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****009957**WELL TYPE

Private Well

DRILL DATE: 1947/01/TOWNSHIP RANGE SECTIONELEVATION: 885FTDRILL DEPTH: 340FT

38N 6E 24

DEPTH TO BED: 40FTUTM X UTM Y
735,831.27 4,208,960.21
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 5 MI W OF BLOOMSDALE ("CAN'T LOCATE")S.W.L. (AFTER CASING):**LOG ID:****016861**WELL TYPE

Private Well

DRILL DATE: 1957/07/24TOWNSHIP RANGE SECTIONELEVATION: 876FTDRILL DEPTH: 295FT

38N 6E 3

DEPTH TO BED: 40FTUTM X UTM Y
733,219.32 4,212,770.30
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 209



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**023762**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1965//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	664FT
<u>DRILL DEPTH:</u>	950FT	38N	7E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				742,749.30	4,212,201.31
<u>S.W.L. (BEFORE CASING):</u>	300	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	260	FT				

REMARKS:

LOG ID:**028838**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1998/12/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	665FT
<u>DRILL DEPTH:</u>	1,490FT	38N	7E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					742,951.30	4,211,967.30
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: Originals are not washed, and therefore most are obscured by mud, making

LOG ID:**017491**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1958//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	546FT
<u>DRILL DEPTH:</u>	204FT	38N	7E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				743,417.30	4,211,248.28
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: 1 MI N OF BLOOMSDALE ON HWY 61

LOG ID:**020057**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/05/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	611FT
<u>DRILL DEPTH:</u>	235FT	38N	7E	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				742,979.31	4,212,093.31
<u>S.W.L. (BEFORE CASING):</u>		FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	190					

REMARKS: 1 MI N OF BLOOMSDALE, E SD OF HWY 61



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018250**WELL TYPE

Private Well

DRILL DATE: 1959/02/05TOWNSHIPRANGESECTIONELEVATION:

576FT

DRILL DEPTH: 225FT

38N

7E

11

DEPTH TO BED: 5FTUTM XUTM Y

742,958.30

4,211,830.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI N OF BLOOMSDALE ON HWY 67S.W.L. (AFTER CASING): 159**LOG ID:****011140**WELL TYPE

Private Well

DRILL DATE: 1947/11/TOWNSHIPRANGESECTIONELEVATION:

573FT

DRILL DEPTH: 227FT

38N

7E

11

DEPTH TO BED: 35FTUTM XUTM Y

742,966.30

4,211,920.30

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1000' N OF PARKWAY TAVERN ON HWY 25S.W.L. (AFTER CASING): 96**LOG ID:****009640**WELL TYPE

Private Well

DRILL DATE: 1946/10/28TOWNSHIPRANGESECTIONELEVATION:

565FT

DRILL DEPTH: 230FT

38N

7E

11

DEPTH TO BED: 10FTUTM XUTM Y

743,285.30

4,211,588.29

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI NW OF BLOOMSDALE ON HWY 25; SALT WATER IN ST.
PETERS.W.L. (AFTER CASING):**LOG ID:****009979**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1947/04/TOWNSHIPRANGESECTIONELEVATION:

571FT

DRILL DEPTH: 210FT

38N

7E

11

DEPTH TO BED: 15FTUTM XUTM Y

743,248.30

4,211,536.29

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 MI NW OF BLOOMSDALE ON HWY 61S.W.L. (AFTER CASING): 162



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003944**WELL TYPE

Private Well

DRILL DATE: 1936/08/20 TOWNSHIP 38N RANGE 7E SECTION 11 ELEVATION: 512FT
DRILL DEPTH: 142FT UTM X 743,363.30 UTM Y 4,211,289.29
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: JUST N OF BLOOMSDALE ON W SD HWY 25
S.W.L. (AFTER CASING): 107

LOG ID:**027539**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1973/09/14 TOWNSHIP 38N RANGE 7E SECTION 15 ELEVATION: 440FT
DRILL DEPTH: 455FT UTM X 742,661.28 UTM Y 4,209,879.26
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:**018296**WELL TYPE

Private Well

DRILL DATE: 1959/06/12 TOWNSHIP 38N RANGE 7E SECTION 17 ELEVATION: 650FT
DRILL DEPTH: 215FT UTM X 738,803.28 UTM Y 4,210,427.27
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 5 MI NW OF BLOOMSDALE; "ELEVATION MAY BE IN ERROR"
S.W.L. (AFTER CASING): 117

LOG ID:**016854**WELL TYPE

Private Well

DRILL DATE: 1957/07/06 TOWNSHIP 38N RANGE 7E SECTION 19 ELEVATION:
DRILL DEPTH: 335FT UTM X 737,860.27 UTM Y 4,207,927.20
DEPTH TO BED: 40FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 1 MI N OF LAWRENCETON
S.W.L. (AFTER CASING): 190



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016120**WELL TYPE

Private Well

DRILL DATE: 1957/05/06TOWNSHIPRANGESECTIONELEVATION:

548FT

DRILL DEPTH: 160FT

38N

7E

3

DEPTH TO BED: 5FTUTM XUTM Y

742,208.30

4,212,504.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 120**LOG ID:****016084**WELL TYPE

Private Well

DRILL DATE: 1957/05/01TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH: 164FT

38N

7E

3

DEPTH TO BED: 10FTUTM XUTM Y

741,960.31

4,213,234.34

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 86**LOG ID:****020462**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1961/12/TOWNSHIPRANGESECTIONELEVATION:

521FT

DRILL DEPTH: 870FT

38N

7E

3

DEPTH TO BED: 15FTUTM XUTM Y

741,823.30

4,213,112.34

ZONE 15

S.W.L. (BEFORE CASING): 74 FTREMARKS:S.W.L. (AFTER CASING): 74 FT**LOG ID:****003400**WELL TYPE

Private Well

DRILL DATE: 1935//TOWNSHIPRANGESECTIONELEVATION:

583FT

DRILL DEPTH: 87FT

38N

7E

31

DEPTH TO BED: 15FTUTM XUTM Y

737,273.27

4,205,564.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LOCATION ESTIMATED FROM MAP; NEAR LAWRENCETONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017338**WELL TYPE

Private Well

DRILL DATE: 1958/07/15TOWNSHIPRANGESECTIONELEVATION:

601FT

DRILL DEPTH: 100FT

38N

7E

6

DEPTH TO BED: 5FTUTM XUTM Y

737,255.30

4,212,436.31

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ KINSEY; LONG 0.8 X 1.20 MI SECTIONS.W.L. (AFTER CASING): 42**LOG ID:****015541**WELL TYPE

Private Well

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

736FT

DRILL DEPTH: 435FT

38N

7E

6

DEPTH TO BED: 10FTUTM XUTM Y

737,154.32

4,213,891.35

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 2 MI N OF BLOOMSDALE, 1 MI W ON HWY K; NARROW 0.75 x 1 MI SECTIONS.W.L. (AFTER CASING):**LOG ID:****001813**WELL TYPE

Private Well

DRILL DATE: 1914//TOWNSHIPRANGESECTIONELEVATION:

558FT

DRILL DEPTH: 105FT

38N

7E

6

DEPTH TO BED: 80FTUTM XUTM Y

737,289.31

4,213,073.33

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****003805**WELL TYPE

Private Well

DRILL DATE: 1936/09/05TOWNSHIPRANGESECTIONELEVATION:

574FT

DRILL DEPTH: 115FT

38N

7E

6

DEPTH TO BED: 10FTUTM XUTM Y

736,942.31

4,212,685.32

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: @ KINSEY, 300' W OF POST OFFICES.W.L. (AFTER CASING): 30



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003404**WELL TYPE

Private Well

DRILL DATE: 1935/07/ TOWNSHIP 38N RANGE 7E SECTION 6 ELEVATION: 621FT
DRILL DEPTH: 275FT UTM X 737,251.32 UTM Y 4,213,863.35
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: formerly in name of Mrs. Madden - LONG 0.75 x 1.2 MI SECTION; @
S.W.L. (AFTER CASING): KINSEY

LOG ID:**009387**WELL TYPE

Private Well

DRILL DATE: 1946/08/ TOWNSHIP 38N RANGE 8E SECTION 1 ELEVATION: 436FT
DRILL DEPTH: 257FT UTM X 753,707.43 UTM Y 4,212,004.19
DEPTH TO BED: 2FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LOCATION QUESTIONABLE; 1 MI N OF BUSSEN'S QUARRY, 0.5
S.W.L. (AFTER CASING): FROM MISS RV.

LOG ID:**027526**WELL TYPE

Unknown Well

DRILL DATE: TOWNSHIP 38N RANGE 8E SECTION 12 ELEVATION: 397FT
DRILL DEPTH: 500FT UTM X 754,421.42 UTM Y 4,211,164.16
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: ANODE WELL ("CATHODIC PROTECTION WELL")
S.W.L. (AFTER CASING):

LOG ID:**009587**WELL TYPE

Outcrop Description

DRILL DATE: 1947/09/09 TOWNSHIP 38N RANGE 8E SECTION 12 ELEVATION: 511FT
DRILL DEPTH: 120FT UTM X 754,222.42 UTM Y 4,210,954.16
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: UP HILL ALONG ROAD SE FROM BRIDGE OVER LOWER
S.W.L. (AFTER CASING): FRENCHMAN CREEK



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009408**WELL TYPE

Noncommunity Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

402FT

DRILL DEPTH:

135FT

38N

8E

12

UTM XUTM YDEPTH TO BED:

754,737.43

4,211,581.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

@ MOUTH OF LOWER FRENCHMAN'S HOLLOW, N SD OF VALLEY

S.W.L. (AFTER CASING):

45

LOG ID:**009585**WELL TYPE

Outcrop Description

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

465FT

DRILL DEPTH:

74FT

38N

8E

12

UTM XUTM YDEPTH TO BED:

20FT

754,637.43

4,211,605.17

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:OLD QUARRY @ MOUTH OF LOWER FRENCHMAN HOLLOW;
BASE @ 397' - RR TRACKSS.W.L. (AFTER CASING):**LOG ID:****027079**WELL TYPE

Private Well

DRILL DATE:

1969/10/05

TOWNSHIPRANGESECTIONELEVATION:

470FT

DRILL DEPTH:

300FT

38N

8E

14

UTM XUTM YDEPTH TO BED:

40FT

753,036.40

4,210,338.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S OF BLOOMSDALE, 4.5 MI E OF HWY 61 ON HWY V

S.W.L. (AFTER CASING):

45

LOG ID:**021102**WELL TYPE

Private Well

DRILL DATE:

1961/11/21

TOWNSHIPRANGESECTIONELEVATION:

483FT

DRILL DEPTH:

112FT

38N

8E

18

UTM XUTM YDEPTH TO BED:

20FT

746,315.31

4,209,169.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

50



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**011144**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/11/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	482FT
<u>DRILL DEPTH:</u>	141FT	38N	8E	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				746,248.31	4,209,031.20
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of George F. Kickers - about 2 miles S of Bloomsdale			
<u>S.W.L. (AFTER CASING):</u>	74		near Hwy 25			

LOG ID:**006116**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1940/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	495FT
<u>DRILL DEPTH:</u>	112FT	38N	8E	18	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				746,196.31	4,209,183.21
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of T.J. Bruman - 0.25-0.5 MI S OF ESTABLISHMENT			
<u>S.W.L. (AFTER CASING):</u>			CREEK ON SW SD HWY 25			

LOG ID:**016842**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1957/10/25	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	472FT
<u>DRILL DEPTH:</u>	175FT	38N	8E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					747,127.32	4,208,148.17
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	65					

LOG ID:**012512**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1952/08/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	547FT
<u>DRILL DEPTH:</u>	175FT	38N	8E	24	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					754,858.40	4,207,624.09
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	2 MI W BY NW FROM STE. GENEVIEVE			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004016**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1936/11/26	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	878FT
<u>DRILL DEPTH:</u>	552FT	38N	8E	27		
<u>DEPTH TO BED:</u>	70FT				<u>UTM X</u>	<u>UTM Y</u>
					750,881.35	4,206,409.10
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	formerly in name of Kernet Roth - 0.6 MI E OF ROCK TAVERN ON N			
<u>S.W.L. (AFTER CASING):</u>	300		SD HWY 25			

LOG ID:**011141**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1947/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	662FT
<u>DRILL DEPTH:</u>	205FT	38N	8E	28		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
					749,800.34	4,206,368.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	ABT 1 MI E OF ROCK TAVERN ON HWY 25 ABT 1/2 BETWEEN			
<u>S.W.L. (AFTER CASING):</u>	195		BLOOMSDALE & STE G			

LOG ID:**003969**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1936/10/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	625FT
<u>DRILL DEPTH:</u>	258FT	38N	8E	28		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
					749,448.34	4,206,538.11
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>	180					

LOG ID:**013173**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1954/10/15	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	555FT	38N	8E	32		
<u>DEPTH TO BED:</u>	5FT				<u>UTM X</u>	<u>UTM Y</u>
					748,533.32	4,204,736.08
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	5 MI E OF BLOOMSDALE; YIELD - 15 GPM @ 190'			
<u>S.W.L. (AFTER CASING):</u>	7					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
017330

WELL TYPE
Private Well

DRILL DATE: 1957/07/20

TOWNSHIP RANGE SECTION

ELEVATION: 668FT

DRILL DEPTH: 302FT

38N 8E 33

UTM X UTM Y
749,038.33 4,205,499.09
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
028848

WELL TYPE
Community Public Well

DRILL DATE: 1988/02/

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 1,200FT

38N 8E 34

UTM X UTM Y
751,395.35 4,204,791.06
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: Correlations below top of Ibexian are uncertain.

S.W.L. (AFTER CASING):

LOG ID:
028848

WELL TYPE
Community Public Well

DRILL DATE: 1988/02/

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 1,200FT

38N 8E 34

UTM X UTM Y
751,395.35 4,204,791.06
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: Correlations below top of Ibexian are uncertain.

S.W.L. (AFTER CASING):

LOG ID:
011299

WELL TYPE
Private Well

DRILL DATE: 1947//

TOWNSHIP RANGE SECTION

ELEVATION: 645FT

DRILL DEPTH: 330FT

38N 8E 35

UTM X UTM Y
753,006.36 4,203,995.03
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: 1 MI SW OF ZELL

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004968**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1938/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	532FT
<u>DRILL DEPTH:</u>	58FT	38N	9E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	28FT				757,379.44	4,209,319.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	"TEST HOLE"			

LOG ID:**004967**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1938/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	532FT
<u>DRILL DEPTH:</u>	85FT	38N	9E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	31FT				757,379.44	4,209,319.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	"TEST HOLE"			

LOG ID:**004964**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1938/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	532FT
<u>DRILL DEPTH:</u>	62FT	38N	9E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	23FT				757,379.44	4,209,319.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	"PROSPECT HOLE"			

LOG ID:**004955**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1938/08/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	502FT
<u>DRILL DEPTH:</u>	70FT	38N	9E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				757,141.43	4,209,104.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	"TEST HOLE"			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004953**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1938/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	502FT
<u>DRILL DEPTH:</u>	73FT	38N	9E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				757,141.43	4,209,100.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	"TEST HOLE"			

LOG ID:**004954**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1938/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	532FT
<u>DRILL DEPTH:</u>	88FT	38N	9E	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				757,379.44	4,209,319.10
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	"TEST HOLE"			

LOG ID:**002499**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	455FT
<u>DRILL DEPTH:</u>	205FT	38N	9E	19	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					756,588.42	4,207,587.08
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	@ PLANT IN STE. GENEVIEVE			

LOG ID:**009586**WELL TYPE

Outcrop Description

<u>DRILL DATE:</u>	1947/08/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	534FT
<u>DRILL DEPTH:</u>	145FT	38N	9E	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	68FT				755,237.43	4,211,146.15
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NEW QUARRY; SECTION BEGINS 330' S OF 61.10 MARKER ON RR; BASE @ 390'			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009582**WELL TYPE

Outcrop Description

DRILL DATE: 1947/08/16TOWNSHIPRANGESECTIONELEVATION:

507FT

DRILL DEPTH: 110FT

38N

9E

8

DEPTH TO BED: 40FTUTM XUTM Y

757,106.45

4,210,819.13

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TD AT LEVEL OF RR TRACK (397')S.W.L. (AFTER CASING):**LOG ID:****009581**WELL TYPE

Outcrop Description

DRILL DATE: 1947/08/14TOWNSHIPRANGESECTIONELEVATION:

397FT

DRILL DEPTH: 123FT

38N

9E

8

DEPTH TO BED:UTM XUTM Y

757,402.45

4,210,716.12

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SECTION FROM 3 PARTS OF QUARRY FACE, DEPTHS EST.S.W.L. (AFTER CASING):**LOG ID:****013176**WELL TYPE

Private Well

DRILL DATE: 1954//TOWNSHIPRANGESECTIONELEVATION:

733FT

DRILL DEPTH: 260FT

39N

6E

22

DEPTH TO BED: 5FTUTM XUTM Y

732,666.37

4,218,031.44

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATAS.W.L. (AFTER CASING):**LOG ID:****016856**WELL TYPE

Private Well

DRILL DATE: 1957/12/03TOWNSHIPRANGESECTIONELEVATION:

500FT

DRILL DEPTH: 100FT

39N

6E

24

DEPTH TO BED: 10FTUTM XUTM Y

735,010.36

4,217,791.44

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 4 MI W OF DANBYS.W.L. (AFTER CASING): 9



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003978**WELL TYPE

Private Well

DRILL DATE: 1936/10/21TOWNSHIPRANGESECTIONELEVATION:

786FT

DRILL DEPTH: 260FT

39N

6E

28

DEPTH TO BED: 30FTUTM XUTM Y

731,265.35

4,215,968.38

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Valentine GailerS.W.L. (AFTER CASING): 155**LOG ID:****013678**WELL TYPE

Private Well

DRILL DATE: 1955/00/00TOWNSHIPRANGESECTIONELEVATION:

849FT

DRILL DEPTH: 330FT

39N

6E

31

DEPTH TO BED: 40FTUTM XUTM Y

728,320.35

4,214,516.33

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TOTAL DRAWDOWNS.W.L. (AFTER CASING): 260**LOG ID:****027596**WELL TYPE

Private Well

DRILL DATE: 1970/09/19TOWNSHIPRANGESECTIONELEVATION:

600FT

DRILL DEPTH: 665FT

39N

7E

13

DEPTH TO BED: 10FTUTM XUTM Y

744,221.40

4,218,490.43

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3-3.5 MI ON GRAVEL RD E OF HWY 61 TOWARD BRICKEYSS.W.L. (AFTER CASING): 220**LOG ID:****019372**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

571FT

DRILL DEPTH: 305FT

39N

7E

13

DEPTH TO BED: 10FTUTM XUTM Y

745,212.41

4,218,440.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LIME PROSPECT HOLES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019371

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 541FT
39N 7E 13
DRILL DEPTH: 305FT UTM X UTM Y
DEPTH TO BED: 10FT 744,835.40 4,218,449.42
ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
019378

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 399FT
39N 7E 13
DRILL DEPTH: 299FT UTM X UTM Y
DEPTH TO BED: 744,617.40 4,218,588.42
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: LIME TEST HOLE
S.W.L. (AFTER CASING):

LOG ID:
019472

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1960/07/ TOWNSHIP RANGE SECTION ELEVATION: 372FT
39N 7E 14
DRILL DEPTH: 150FT UTM X UTM Y
DEPTH TO BED: 5FT 743,903.40 4,219,451.45
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: @ BRICKEYS, ON THE BLUFF OF THE MISSISSIPPI RIVER
S.W.L. (AFTER CASING):

LOG ID:
016989

WELL TYPE
Private Well

DRILL DATE: 1958/02/18 TOWNSHIP RANGE SECTION ELEVATION: 428FT
39N 7E 17
DRILL DEPTH: 95FT UTM X UTM Y
DEPTH TO BED: 10FT 737,981.38 4,219,492.48
ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 0.25 MI S OF JEFFERSON CO LINE, 0.25 MI E OF HWY 61
S.W.L. (AFTER CASING): 26

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019126

WELL TYPE
Private Well

DRILL DATE: 1960/04/09 TOWNSHIP 39N RANGE 7E SECTION 18 ELEVATION: 444FT
DRILL DEPTH: 133FT UTM X 737,683.37 UTM Y 4,218,981.47
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 6 MI N OF BLOOMFIELD; 1 X 0.75 MI SECTION
S.W.L. (AFTER CASING):

LOG ID:
020053

WELL TYPE
Private Well

DRILL DATE: 1961/03/17 TOWNSHIP 39N RANGE 7E SECTION 19 ELEVATION: 428FT
DRILL DEPTH: 255FT UTM X 737,724.37 UTM Y 4,218,541.46
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: 4 MI N OF BLOOMSDALE, W SD HWY 61; 0.75 X 1 MI SECTION
S.W.L. (AFTER CASING): 20

LOG ID:
017742

WELL TYPE
Private Well

DRILL DATE: 1958/11/27 TOWNSHIP 39N RANGE 7E SECTION 20 ELEVATION: 500FT
DRILL DEPTH: 145FT UTM X 737,875.36 UTM Y 4,217,636.44
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 75

LOG ID:
016260

WELL TYPE
Private Well

DRILL DATE: 1957/05/18 TOWNSHIP 39N RANGE 7E SECTION 20 ELEVATION: 459FT
DRILL DEPTH: 144FT UTM X 737,960.36 UTM Y 4,218,282.45
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 5.5 MI N OF BLOOMSDALE, 300' E OF HWY 61
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018424**WELL TYPE

Private Well

DRILL DATE: 1959/07/13TOWNSHIPRANGESECTIONELEVATION:

433FT

DRILL DEPTH: 145FT

39N

7E

20

DEPTH TO BED: 20FTUTM XUTM Y

737,843.36

4,218,235.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI N OF BLOOMSDALE AT JCT HWYS 61 & TTS.W.L. (AFTER CASING): 20**LOG ID:****010990**WELL TYPE

Private Well

DRILL DATE: 1947//TOWNSHIPRANGESECTIONELEVATION:

530FT

DRILL DEPTH: 105FT

39N

7E

21

DEPTH TO BED: 10FTUTM XUTM Y

740,273.35

4,217,769.45

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 50**LOG ID:****019375**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

657FT

DRILL DEPTH: 80FT

39N

7E

23

DEPTH TO BED: 5FTUTM XUTM Y

743,961.39

4,218,202.42

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LIME TEST HOLES.W.L. (AFTER CASING):**LOG ID:****019374**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

587FT

DRILL DEPTH: 70FT

39N

7E

23

DEPTH TO BED: 15FTUTM XUTM Y

743,601.37

4,217,149.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LIME TEST HOLES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
019376

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:
DRILL DEPTH: 310FT
DEPTH TO BED:
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING):

TOWNSHIP 39N
RANGE 7E
SECTION 23
ELEVATION: 614FT
UTM X 743,887.38
UTM Y 4,217,475.41
ZONE 15
REMARKS: LIME TEST HOLE

LOG ID:
019377

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:
DRILL DEPTH: 160FT
DEPTH TO BED: 10FT
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING):

TOWNSHIP 39N
RANGE 7E
SECTION 24
ELEVATION: 448FT
UTM X 744,337.39
UTM Y 4,218,071.41
ZONE 15
REMARKS: LIME TEST HOLE

LOG ID:
019373

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE:
DRILL DEPTH: 75FT
DEPTH TO BED: 50FT
S.W.L. (BEFORE CASING):
S.W.L. (AFTER CASING):

TOWNSHIP 39N
RANGE 7E
SECTION 24
ELEVATION:
UTM X 744,702.40
UTM Y 4,218,191.41
ZONE 15
REMARKS:

LOG ID:
017337

WELL TYPE
Private Well

DRILL DATE: 1958/07/05
DRILL DEPTH: 224FT
DEPTH TO BED: 10FT
S.W.L. (BEFORE CASING): FT
S.W.L. (AFTER CASING): 160

TOWNSHIP 39N
RANGE 7E
SECTION 28
ELEVATION: 675FT
UTM X 740,144.33
UTM Y 4,215,632.40
ZONE 15
REMARKS: 5 MI N OF BLOOMSDALE, 1/8 MI W ON HWY K



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027078**WELL TYPE

Private Well

DRILL DATE: 1969/09/26TOWNSHIPRANGESECTIONELEVATION:

514FT

DRILL DEPTH: 294FT

39N

7E

29

DEPTH TO BED: 10FTUTM XUTM Y

738,912.34

4,216,594.42

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of John Day - ON HWY 61, 4 MI N OF BLOOMSDALES.W.L. (AFTER CASING): 65**LOG ID:****017333**WELL TYPE

Private Well

DRILL DATE: 1958/07/01TOWNSHIPRANGESECTIONELEVATION:

507FT

DRILL DEPTH: 80FT

39N

7E

29

DEPTH TO BED: 25FTUTM XUTM Y

738,618.34

4,216,223.41

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: BY CONCORD SCHOOLS.W.L. (AFTER CASING): 31**LOG ID:****026168**WELL TYPE

Community Public Well

DRILL DATE: 1969/01/TOWNSHIPRANGESECTIONELEVATION:

730FT

DRILL DEPTH: 1,150FT

39N

7E

31

DEPTH TO BED: 40FTUTM XUTM Y

737,150.32

4,214,054.35

ZONE 15

S.W.L. (BEFORE CASING): 243 FTREMARKS: "#1 KENSEY"S.W.L. (AFTER CASING): 237 FT**LOG ID:****018662**WELL TYPE

Private Well

DRILL DATE: 1959/07/27TOWNSHIPRANGESECTIONELEVATION:

720FT

DRILL DEPTH: 385FT

39N

7E

31

DEPTH TO BED: 5FTUTM XUTM Y

737,638.32

4,214,419.36

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 1 X 0.75 MI SECTIONS.W.L. (AFTER CASING): 210



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016865

WELL TYPE
Private Well

DRILL DATE: 1957/10/26

TOWNSHIP RANGE SECTION

ELEVATION: 562FT

DRILL DEPTH: 120FT

39N 7E 32

DEPTH TO BED:

UTM X UTM Y
739,119.32 4,214,898.38
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 48

LOG ID:
018418

WELL TYPE
Private Well

DRILL DATE: 1959/07/15

TOWNSHIP RANGE SECTION

ELEVATION: 654FT

DRILL DEPTH: 320FT

39N 7E 32

DEPTH TO BED: 5FT

UTM X UTM Y
737,877.33 4,214,771.37
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 5 MI N OF BLOOMSDALE ON HWY 61, 1 MI W ON HWY K

S.W.L. (AFTER CASING):

LOG ID:
019127

WELL TYPE
Private Well

DRILL DATE: 1960/06/16

TOWNSHIP RANGE SECTION

ELEVATION: 608FT

DRILL DEPTH: 172FT

39N 7E 33

DEPTH TO BED: 10FT

UTM X UTM Y
740,751.32 4,215,035.39
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 118

LOG ID:
011300

WELL TYPE
Private Well

DRILL DATE: 1948//

TOWNSHIP RANGE SECTION

ELEVATION: 656FT

DRILL DEPTH: 220FT

39N 7E 33

DEPTH TO BED:

UTM X UTM Y
740,687.32 4,215,185.39
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: formerly in name of George W. Morgan - RT 1, BRICKEYS

S.W.L. (AFTER CASING): 185



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016255**WELL TYPE

Private Well

DRILL DATE: 1957/06/03TOWNSHIP RANGE SECTIONELEVATION: 541FTDRILL DEPTH: 180FT

39N 7E 34

UTM X UTM YDEPTH TO BED:741,008.32 4,214,634.38
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: formerly in name of Lewis CissellS.W.L. (AFTER CASING): 55**LOG ID:****028952**WELL TYPE

Noncommunity Public Well

DRILL DATE: 2004/04/TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 1,948FT

39N 7E 9

UTM X UTM YDEPTH TO BED: 15FT740,054.39 4,221,071.52
ZONE 15S.W.L. (BEFORE CASING):REMARKS: Observation Well #1S.W.L. (AFTER CASING):**LOG ID:****026646**WELL TYPE

Private Well

DRILL DATE: 1970/08/29TOWNSHIP RANGE SECTIONELEVATION: 652FTDRILL DEPTH: 943FT

39N 8E 33

UTM X UTM YDEPTH TO BED: 30FT750,487.41 4,214,035.26
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 10-FT SAMPLESS.W.L. (AFTER CASING): 270

STE GENEVIEVE